

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 04/02/2021 Version: 1.0

	stance/mixture and of the company/undertaking
1.1. Product identifier Product form	· Mixture
Product name	: NICOBOND QUICKFLEX S1 GREY ADHESIVE C2FT S1
Product code	: N1150850
	tance or mixture and uses advised against
	tance of mixture and uses advised against
1.2.1. Relevant identified uses	
Use of the substance/mixture	: A cement based S1 category tile adhesive for fixing ceramic, fully vitrified, porcelain tiles, mosiacs & natural stones internally & externally.
1.2.2. Uses advised against	
Restrictions on use	: None under normal conditions
1.3. Details of the supplier of the safety of	data sheet
Manufacturer	
N&C Building Products Limited	
41/51 Freshwater Road	
Chadwell Heath RM8 1SP Romford - United Kingdom	
T 0208 586 4600 - F 0208 586 4646	
ncnicobond.com	
1.4. Emergency telephone number	
Emergency number	: 0208 586 4600 OFFICE HOURS 08:00 - 17:00
SECTION 2: Hazards identification	
2.1. Classification of the substance or m	ixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 1	H318
Skin sensitisation, Category 1	H317
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	H335
Hazardous to the aquatic environment — Chronic Hazard, Category 3 Full text of H statements : see section 16	H412

Adverse physicochemical, human health and environmental effects

May cause respiratory irritation. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP)

Signal word (CLP) Hazardous ingredients

Hazard statements (CLP)



: Danger

- : Portland Cement Klinker; Hydrated Lime, Calcium dihydroxide, Calcium Hydrate, Calcium hydroxide
- : H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- H412 Harmful to aquatic life with long lasting effects.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)	: P261 - Avoid breathing dust.
	P264 - Wash hands, forearms and face thoroughly after handling.
	P280 - Wear protective gloves, protective clothing, eye protection, face protection. P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor.
	P312 - Call a POISON CENTER if you feel unwell. P321 - Specific treatment (see supplemental first aid instruction on this label). P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.
0.0 Other bererde	

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
QUARTZ substance with a Community workplace exposure limit	(CAS-No.) 14808-60-7 (EC-No.) 238-878-4	50 - 75	Not classified
Portland Cement Klinker	(CAS-No.) 65997-15-1 (EC-No.) 266-043-4	1 - 30	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1B, H317 STOT SE 3, H335
Calcium sulfate	(CAS-No.) 7778-18-9 (EC-No.) 231-900-3	1 - 5	Acute Tox. 4 (Oral), H302 STOT RE 2, H373 Aquatic Chronic 3, H412
Calcium Sulfoaluminate	(CAS-No.) 12004-14-7 (EC-No.) 234-448-5	1 - 5	STOT RE 2, H373 Aquatic Chronic 2, H411
Calcium aluminate aggregate, calcium aluminate flux		1 - 5	Aquatic Chronic 2, H411
Hydrated Lime, Calcium dihydroxide, Calcium Hydrate, Calcium hydroxide	(CAS-No.) 1305-62-0 (EC-No.) 215-137-3	< 1	Skin Corr. 1, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Chronic 1, H410

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effects,	both acute and delayed
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Serious damage to eyes.
4.3. Indication of any immediate medical at	tention and special treatment needed
Treat symptomatically.	

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam.
5.2. Special hazards arising from the substa	ince or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 5.3. Advice for firefighters Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. **SECTION 6: Accidental release measures** 6.1. Personal precautions, protective equipment and emergency procedures 6.1.1. For non-emergency personnel Emergency procedures : Ventilate spillage area. Avoid breathing dust. Avoid contact with skin and eyes. 6.1.2. For emergency responders : Do not attempt to take action without suitable protective equipment. For further information Protective equipment refer to section 8: "Exposure controls/personal protection". 6.2. Environmental precautions Avoid release to the environment 6.3. Methods and material for containment and cleaning up Methods for cleaning up : Mechanically recover the product. Other information : Dispose of materials or solid residues at an authorized site. 6.4. Reference to other sections For further information refer to section 13. **SECTION 7: Handling and storage** 7.1. Precautions for safe handling : Use only outdoors or in a well-ventilated area. Avoid breathing dust. Avoid contact with skin Precautions for safe handling and eyes. Wear personal protective equipment. Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 7.2. Conditions for safe storage, including any incompatibilities : Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool. Storage conditions Maximum storage period : 12 months 7.3. Specific end use(s) Section 1. **SECTION 8: Exposure controls/personal protection** 8.1. Control parameters QUARTZ (14808-60-7) **EU - Occupational Exposure Limits** Local name Silica crystaline (Quartz) IOELV TWA (mg/m³) 0.05 mg/m³ (respirable dust) Notes (Year of adoption 2003) SCOEL Recommendations Regulatory reference **United Kingdom - Occupational Exposure Limits** Silica Local name WEL TWA (mg/m³) 0.1 mg/m³ respirable crystalline EH40/2005 (Third edition, 2018). HSE Regulatory reference Portland Cement Klinker (65997-15-1) **United Kingdom - Occupational Exposure Limits** Portland cement I ocal name WEL TWA (mg/m³) 10 mg/m³ inhalable dust 4 mg/m³ respirable dust EH40/2005 (Fourth edition, 2020). HSE Regulatory reference Hydrated Lime, Calcium dihydroxide, Calcium Hydrate, Calcium hydroxide (1305-62-0)

EU - Occupational Exposure Limits Local name Calcium dihydroxide IOELV TWA (mg/m³) 1 mg/m³ (Respirable fraction)

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

IOELV STEL (mg/m ³)	4 mg/m³ (Respirable fraction)
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164
United Kingdom - Occupational Exposure Limits	
Local name	Calcium hydroxide
WEL TWA (mg/m³)	5 mg/m³ 1 mg/m³ Respirable fraction
WEL STEL (mg/m³)	4 mg/m ³ Respirable fraction
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:	
Protective gloves	
Eye protection:	
Safety glasses	
Skin and body protection:	
Wear suitable protective clothing	
Respiratory protection:	
In case of insufficient ventilation, wear suitable respiratory equipment	

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and c Physical state	: Solid	
Appearance	: granules.	
Colour	: White-grey.	
Odour	: odourless.	
Odour threshold	: No data available	
•	. No data avaliable :≈9	
pH Relative eveneration rate (but/locatete=1)		
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: Not applicable	
Boiling point	: No data available	
Flash point	: Not applicable	
Auto-ignition temperature	: Not applicable	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Non flammable.	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: No data available	
Solubility	: No data available	
Log Pow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
Explosive limits	: Not applicable	
9.2. Other information		
No additional information available		

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 10: Stability and reactivity
10.1. Reactivity
The product is non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability
Stable under normal conditions.
10.3. Possibility of hazardous reactions
No dangerous reactions known under normal conditions of use.
10.4. Conditions to avoid
None under recommended storage and handling conditions (see section 7).
10.5. Incompatible materials
No additional information available
10.6. Hazardous decomposition products
Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information 11.1. Information on toxicological effects	
	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Calcium Sulfoaluminate (12004-14-7)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EU Method B.3 (Acute Toxicity (Dermal))
LC50 Inhalation - Rat	> 3.26 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

Calcium sulfate (7778-18-9)	
	> 1581 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)
LC50 Inhalation - Rat	> 3.26 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

Calcium aluminate aggregate, calcium aluminate flux		
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method)	
LC50 Inhalation - Rat	> 2.3 mg/l air Animal: rat, Guideline: other:EPA 40 CFR 158 Guideline Reference #81-3, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)	
Skin corrosion/irritation :	Causes skin irritation.	
	pH:≈9	
Serious eye damage/irritation :	Causes serious eye damage.	
	pH: ≈ 9	
Respiratory or skin sensitisation :	May cause an allergic skin reaction.	
Germ cell mutagenicity :	Not classified	
Carcinogenicity :	Not classified	
Calcium Sulfoaluminate (12004-14-7)		
NOAEL (chronic, oral, animal/male, 2 years)	256 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other:No data, Remarks on results: other:Effect type: carcinogenicity (migrated information)	
NOAEL (chronic, oral, animal/female, 2 years)	284 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:No data, Remarks on results: other:Effect type: carcinogenicity (migrated information)	

Calcium sulfate (7778-18-9)	
NOAEL (chronic, oral, animal/male, 2 years)	256 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other:No data, Remarks on results: other:Effect type: carcinogenicity (migrated information)
NOAEL (chronic, oral, animal/female, 2 years)	284 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:No data, Remarks on results: other:Effect type: carcinogenicity (migrated information)

: Not classified

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Calcium aluminate aggregate, calcium aluminate flux		
NOAEL (animal/male, F0/P)	1000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)	
NOAEL (animal/female, F0/P)	1000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)	
STOT-single exposure :	May cause respiratory irritation.	
STOT-repeated exposure :	Not classified	
Calcium Sulfoaluminate (12004-14-7)		
LOAEL (oral, rat, 90 days)	237 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)	
NOAEL (oral, rat, 90 days)	79 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)	
	·	
Calcium sulfate (7778-18-9)		
LOAEL (oral, rat, 90 days)	237 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)	
NOAEL (oral, rat, 90 days)	79 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)	

Calcium aluminate aggregate, calcium aluminate flux	
	0.05 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)

Aspiration hazard

: Not classified

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general	: Harmful to aquatic life with long lasting effects.	
Hazardous to the aquatic environment, short-term (acute)	: Not classified	
Hazardous to the aquatic environment, long-term (chronic)	: Harmful to aquatic life with long lasting effects.	
Calcium Sulfoaluminate (12004-14-7)		
LC50 fish 1	> 83 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
EC50 Daphnia 1	6.8 mg/l Test organisms (species): Daphnia magna	
EC50 Daphnia 2	7.7 mg/l Test organisms (species): Daphnia magna	
EC50 72h algae (1)	47.4 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
EC50 72h algae (2)	4.8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	

Calcium sulfate (7778-18-9)	
LC50 fish 1	> 79 mg/l Test organisms (species): Oryzias latipes
EC50 72h algae (1)	> 79 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

Calcium aluminate aggregate, calcium aluminate flux	
EC50 72h algae (1)	4.5 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EC50 72h algae (2)	> 5.6 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names:
	Raphidocelis subcapitata, Selenastrum capricornutum)

Hydrated Lime, Calcium dihydroxide, Calcium Hydrate, Calcium hydroxide (1305-62-0)			
NOEC chronic fish	50.6 mg/l		
12.2. Persistence and degradability			
Hydrated Lime, Calcium dihydroxide, Calcium	Hydrate, Calcium hydroxide (1305-62-0)		
Persistence and degradability	Not relevant to classification of this product.		
12.3. Bioaccumulative potential	12.3. Bioaccumulative potential		
Hydrated Lime, Calcium dihydroxide, Calcium Hydrate, Calcium hydroxide (1305-62-0)			
Bioaccumulative potential	Not relevant to classification of this product.		
12.4. Mobility in soil			
No additional information available			
12.5. Results of PBT and vPvB assessment			
Component			
Hydrated Lime, Calcium dihydroxide, Calcium Hydrate, Calcium hydroxide (1305-62-0)	vPvB: not relevant – no registration required		
12.6. Other adverse effects			

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information n accordance with ADR / RID / IMDG / IATA / ADN				
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard c	lass(es)			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary informatio	n available			
4.6. Special precautions	s for user			
Overland transport				
Not regulated				
Fransport by sea				
Not regulated				
Air transport				
Not regulated				
nland waterway transport lot regulated				
-				
Rail transport				
Not regulated	accerding to Annov II of M	armal and the IDC Code		
Not applicable	ccording to Annex II of M	arpoi and the IBC Code		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Skin Corr. 1	Skin corrosion/irritation, Category 1	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H335	May cause respiratory irritation.	
Н373	May cause damage to organs through prolonged or repeated exposure.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.