

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 4/17/2023 Version: 1.0

Issue	date: 4/17/2023 Version: 1.0
1.1. Product identification of the sul	bstance/mixture and of the company/undertaking
Product form	: Mixture
Product name	: NICOBOND PATIOPRO GROUT (ALL COLOURS)
	stance or mixture and uses advised against
<b>1.2.1. Relevant identified uses</b> Use of the substance/mixture	: A highly polymer modified, flexible wall and floor tile grout suitable for ceramic, porcelain, mosiacs and natural stone
1.2.2. Uses advised against No additional information available	
1.3. Details of the supplier of the safety	/ data sheet
Manufacturer	
N&C Building Products Limited 41/51 Freshwater Road Chadwell Heath RM8 1SP Romford - United Kingdom T 0208 586 4600 - F 0208 586 4646 <u>ncnicobond.com</u>	
1.4. Emergency telephone number	
Emergency number	: 0208 586 4600
	OFFICE HOURS 08:00 - 17:00
OFOTION Of Herende identification	
SECTION 2: Hazards identification 2.1. Classification of the substance or r	mixture
Classification according to Regulation (EC)	No. 1272/2008 [CLP]
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 1	H318
Skin sensitisation, Category 1	H317
Specific target organ toxicity — Single exposure Respiratory tract irritation	e, Category 3, H335
Full text of H statements : see section 16	
Adverse physicochemical, human health an To our knowledge, this product does not preser practice. 2.2. Label elements	d environmental effects nt any particular risk, provided it is handled in accordance with good occupational hygiene and safety
Labelling according to Regulation (EC) No. 7	1272/2008 ICLP1
Hazard pictograms (CLP)	
	GHS05 GHS07
Signal word (CLP)	: Danger
Hazardous ingredients	: Portland Cement Klinker
Hazard statements (CLP)	: H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H318 - Causes serious eye damage. H335 - May cause respiratory irritation.
Precautionary statements (CLP)	<ul> <li>P261 - Avoid breathing dust, fume, gas, mist, spray, vapours.</li> <li>P264 - Wash hands, forearms and face thoroughly after handling.</li> <li>P280 - Wear protective gloves, protective clothing, eye protection, face protection.</li> <li>P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes.</li> <li>Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor.</li> <li>P312 - Call a doctor if you feel unwell.</li> <li>P321 - Specific treatment (see supplemental first aid instruction on this label).</li> <li>P333+P313 - If skin irritation or rash occurs: Get medical advice/attention</li> </ul>

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients		
3.1. Substances		
Not applicable		
3.2. Mixtures		

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Portland Cement Klinker	(CAS-No.) 65997-15-1 (EC-No.) 266-043-4	20 - 50	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1B, H317 STOT SE 3, H335
QUARTZ substance with a Community workplace exposure limit	(CAS-No.) 14808-60-7 (EC-No.) 238-878-4	20 - 30	Not classified
Calcium sulfate	(CAS-No.) 7778-18-9 (EC-No.) 231-900-3	1 - 5	Acute Tox. 4 (Oral), H302 STOT RE 2, H373 Aquatic Chronic 3, H412

## Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effects, b	both acute and delayed
No additional information available	
4.3. Indication of any immediate medical atte	ention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam.
5.2. Special hazards arising from the substa	
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained
	breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release measure	
6.1. Personal precautions, protective equipment	nent and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

	· · · · · · · · · · · · · · · · · · ·
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containment and cleaning up	
Methods for cleaning up	: Mechanically recover the product.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections For further information refer to section 13.	

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment.	
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions	: Store in a well-ventilated place. Keep cool.	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## 7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
Portland Cement Klinker (65997-15-1)		
United Kingdom - Occupational Exposure Limits		
Local name	Portland cement	
WEL TWA (mg/m³)	10 mg/m³ inhalable dust 4 mg/m³ respirable dust	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
QUARTZ (14808-60-7)		
EU - Occupational Exposure Limits		
Local name	Silica crystaline (Quartz)	
IOELV TWA (mg/m³)	0.05 mg/m³ (respirable dust)	
Notes	(Year of adoption 2003)	
Regulatory reference	SCOEL Recommendations	
8.2. Exposure controls		

## Appropriate engineering controls:

Ensure good ventilation of the work station.

## Personal protective equipment:

In case of dust production: protective goggles. Gloves. Dust formation: dust mask.

and protection:
rotective gloves
ye protection:
afety glasses
kin and body protection:
/ear suitable protective clothing
espiratory protection:
case of insufficient ventilation, wear suitable respiratory equipment

## Personal protective equipment symbol(s):



### Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Solid	
Appearance	: Powders.	
Colour	: Various.	
Odour	: odourless.	
Odour threshold	: No data available	
рН	: No data available	
pH solution	: 12 - 13	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: Not applicable	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: Not applicable
9.2. Other information	

No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
The product is non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability
Stable under normal conditions.
10.3. Possibility of hazardous reactions
No dangerous reactions known under normal conditions of use.
10.4. Conditions to avoid
None under recommended storage and handling conditions (see section 7).
10.5. Incompatible materials
No additional information available
10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

<b>SECTION 11: Toxicological information</b>	1
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Calcium sulfate (7778-18-9)	
LD50 oral rat	> 1581 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)
LC50 Inhalation - Rat	> 3.26 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Calcium sulfate (7778-18-9)	
NOAEL (chronic, oral, animal/male, 2 years)	256 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other:No data, Remarks on results: other:Effect type: carcinogenicity (migrated information)
NOAEL (chronic, oral, animal/female, 2 years)	284 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:No data, Remarks on results: other:Effect type: carcinogenicity (migrated information)
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: Not classified

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Calcium sulfate (7778-18-9)	
LOAEL (oral, rat, 90 days)	237 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
NOAEL (oral, rat, 90 days)	79 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
Aspiration hazard	: Not classified

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term acute)	: Not classified
Hazardous to the aquatic environment, long-term chronic)	: Not classified
Calcium sulfate (7778-18-9)	
LC50 fish 1	> 79 mg/l Test organisms (species): Oryzias latipes
EC50 72h algae (1)	> 79 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
2.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
2.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Other adverse effects	
No additional information available	

## SECTION 13: Disposal considerations

13.1. Waste treatment methods Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

ADR	IMDG	ΙΑΤΑ	ADN	RID	
			ABR		
4.1. UN number					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
4.2. UN proper shippin	g name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.3. Transport hazard class(es)					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
4.4. Packing group					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
lo supplementary information	on available				
4.6. Special precaution	- four				

Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable

## SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

## 15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
H302	Harmful if swallowed.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H335	May cause respiratory irritation.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H412	Harmful to aquatic life with long lasting effects.	

## SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.