

Cubicle Collections




Nicholls & Clarke






How to Order


1. Identify your cubicle arrangment Corner Between Wa





2. Advise how many cubicles are in each arrangement * Example - Class 3 boys = 2 cubicles between walls

3. Provide overall width of your cubicle arrangements



4. Select door height option (if available)

- * Infant doors Shaped 1100mm*
- * Junior doors 3 Quarter High 1500mm*
- * Standard doors Full Height 1800mm*

*excludes 150mm adjustable foot

5. Advise if you require an outward opening door

6. Select door colour - Multicoloured or single coloured


Our broad collection of cubicles have been designed to meet the needs of the different environmental conditions across industries in terms of durability, performance, functionality, compliance and aesthetics. From highly durable, anti vandal options suited for public washrooms, to aesthetically pleasing options to create a sense of security for school environments.

We offer over 84 on-trend colours to choose from, enabling creative flexibility and assisting with specific design or branding requirements. Our fittings and extrusions are designed to allow fast and easy installation to help overcome any issues with tolerance and flexibility on site to avoid any delays.

N&C offer unrivalled specialist expertise in the washroom market with availability and lead times that allow for project deadlines to be met. We engage in the project and can get a N&C representative on site to assist in producing working drawings according to the project requirements. We also produce detailed CAD drawings to assist with onsite installation.


Our pilasters and panels are created in either high pressure laminate, compact solid grade laminate or melamine faced chipboard.

Material Key




High Pressure Laminates

Our high pressure laminates are perfect for environments that require low maintenance, exceptional durability and versatility with a high resistance against abrasion, impact and general wear. Cubicles that are made from high pressure laminate are impervious to water and maintain its integrity within the most demanding environments. Allowing for creative flexibility, the desired aesthetics can be achieved such as wood effect to create an executive, sophisticated appearance in offices.



Compact Solid Grade Laminate

Tough, wet environments are met with our compact solid grade laminate range, which consists of self supporting decorative panels on both sides and is ideal for use with washroom cubicles, locker doors, wall panels and furniture as it is particularly suited to high humidity environments. Compact Solid Grade is perfect for high traffic, high impact environments due to its hard wearing structural stability, requiring no substrate support (within a 12mm thickness).



As the most cost effective solution, our range of melamine faced chipboard is a self supporting, moisture resistant board with two decorative panels on the outer sides.

Melamine Faced Chipboard



Budget (MFC)

Designed specifically to be size adjustable on site the Budget range is competitively priced and available in packs for fast delivery. Using Nylon hardware all cut edges are hidden within full length channels. Suitable for any standard WC or Disabled cubicle.

Melamine Face Chipboard (MFC)

Nylon Fittings

One-Size-Fits-All

Dry Application



Hinge



Angle Headrail



Adjustable Leg



Pilaster Lock

Budget (MFC)

Specification

Doors:	18mm Melamine Faced Chipboard (MFC) with 2mm ABS edging	
Partitions:	18mm Melamine Faced Chipboard (MFC) with 2mm ABS edging	
Pilasters:	18mm Melamine Faced Chipboard (MFC) with 2mm ABS edging	
Hardware:	Nylon hardware fittings – wall channels, hinge channels, H-sections, adjustable leg, Pilaster lock and hinges.	
Overall Cubicle Height - 2000mm including 150mm adjustable leg		

Colour Options

Doors:

U2509

clearance



D4822

U4815

Partitions / Pilasters:

K101

D494

U112


K101 (White)	*LRV - 85.5
U112 (Grey)	*LRV - 72.9
U2509 (Green)	*LRV - 68.1
D495 (Dark Pattern)	*LRV - 19.3
D494 (Light Pattern)	*LRV - 51.6
U4815 (Blue)	*LRV - 41.2
U4815 (Blue)	*LRV – 41.2
D4822 (Woodgrain)	*LRV – 3.0


Size Guide


Overall Height:
Partition Square Height:
Partition Depth:
Pilaster Height:
End/Wall Pilaster Width:
Centre Pilaster Width:
Door Width:
Door Height:

2000mm (150mm from floor) 1800mm (2 pieces) 1800mm maximum 1850mm 120mm 200mm & 300mm 900mm maximum 1800mm

*LRV – Light Reflectance Value, a measure of visible and usable light that is reflected from a surface when illuminated by a light source.







4



Retrospect (MFC)

A bright, colourful and robust design produced specifically for children of all ages. Manufactured using 18mm moisture and impact resistant panels create sturdy cubicles for any dry environment.

MR Melamine Face Chipboard (MFC)

Heavy-duty fittings (SAA)

Made-To-Measure

Dry Application



Tube Headrail




Adjustable Leg



Indicator Lock

Retrospect (MFC)



Filasters: 18mm Moisture resistant Melamine

faced chip board (MFC) with 2mm high impact ABS edging

18mm Moisture resistant Melamine

faced chip board (MFC) with 2mm

18mm Moisture resistant Melamine

high impact ABS edging

- Hardware: Satin Anodised Aluminium (SAA) fittings - Headrail, pilaster brackets, wall brackets, adjustable leg, Pilaster lock and hinges.
- Overall Cubicle Height 2100mm including 150mm adjustable leg clearance

Colour Options

Specification


Doors:

Partitions:

Doors / Partitions /
PilastersPolyrey Washroom Collection 2019
Panoprey Melamine Faced Board

Size Guide

Overall Height: Partition Shaped Height: Partition Depth: Pilaster Height: End/Wall Pilaster Width: Centre Pilaster Width: Door Width: Door Height: 2100mm (150mm from floor) 1800mm Made to depth required 1950mm 115/128mm 230mm Made to measure 1150/1500/1800mm





Retrospect (SGL)

A bright, colourful and robust design produced for children of all ages. Designed specifically for wet and dry areas or areas of high humidity and fluctuating temperatures.

Solid Grade Laminate (SGL)

Heavy-duty fittings (SAA)

Made-To-Masure

Wet & Dry Application



Hinge



Tube Headrail




Adjustable Leg



Indicator Lock

Retrospect (SGL)

PLASTER HEIGHT ADULT DOOR HEIGHT 1800 - PARTITION HEIGHT i JUNIOR DOOR HEIGHT ۲ ۲ INFANT DOOR HEIGHT ٢ 1800 1500 150 4 115 230 128 230



Specification


Doors:	13mm Solid Grade Compact (SGL) with routered edges and black core
Partitions:	13mm Solid Grade Compact (SGL) with routered edges and black core
Pilasters:	13mm Solid Grade Compact (SGL) with routered edges and black core
Hardware:	Satin Anodised Aluminium (SAA) fittings - Headrail, pilaster brackets, wall brackets, adjustable leg, Pilaster lock and hinges.
Overall Cubicle Height	- 2100mm including 150mm adjustable leg clearance
Colour Options	

Doors / Partitions /	Polyrey Washroom Collection 2019
Pilasters	Formica Washroom Collection 2019

Size Guide

Overall Height: Partition Shaped Height: Partition Depth: Pilaster Height: End/Wall Pilaster Width: Centre Pilaster Width: Door Width: Door Height:

2100mm (150mm from floor) 1800mm Made to depth required 1950mm 115/128mm 230mm Made to measure 1150/1500/1800mm





Adventura (MFC)

A bright, colourful and robust design produced specifically for young children. Manufactured using 18mm moisture and impact resistant panels create sturdy cubicles for any dry environment.

MR Melamine Face Chipboard (MFC)

Heavy-duty fittings (SAA)

Made-To-Measure

Dry Application



Hinge



Channel Bracket



Adjustable Leg





Indicator Lock

Adventura (MFC)

Specification

Doors:	18mm Moisture resistant Melamine faced chip board (MFC) with 2mm high impact ABS edging
Partitions:	18mm Moisture resistant Melamine faced chip board (MFC) with 2mm high impact ABS edging
Pilasters:	18mm Moisture resistant Melamine faced chip board (MFC) with 2mm high impact ABS edging
Hardware:	Satin Anodised Aluminium (SAA) fittings - Headrail, pilaster brackets, wall brackets, adjustable leg, Pilaster lock and hinges.
Overall Cubicle Height	- 1450mm including 150mm adjustable leg clearance





Size Guide

Pilasters


Colour Options


Doors / Partitions /

Overall Height: Partition Height: Partition Depth: Pilaster Height: End/Wall Pilaster Width: Centre Pilaster Width: Door Width: Door Height: 1450mm (150mm from floor) 1150mm Made to depth required 1300mm 300mm Made to measure 1150mm

Polyrey Washroom Collection 2019

Panoprey Melamine Faced Board





Adventura (SGL)

Designed for young children to be fun but private to use with self-supporting panels and doors that bring a bright and spacious feeling to your washroom.

Solid Grade Laminate (SGL)

Heavy-duty fittings (SAA)

Made-To-Masure

Wet & Dry Application



Hinge







Adjustable Leg



Indicator Lock

Adventura (SGL)

Specification

Doors:	13mm Solid Grade Compact (SGL) with routered edges and black core	
Partitions:	13mm Solid Grade Compact (SGL) with routered edges and black core	
Pilasters:	13mm Solid Grade Compact (SGL) with routered edges and black core	
Hardware:	Satin Anodised Aluminium (SAA) fittings - Headrail, pilaster brackets, wall brackets, adjustable leg, Pilaster lock and hinges.	
Overall Cubicle Height - 1450mm including 150mm adjustable		

leg clearance


Colour Options


Doors / Partitions /	Polyrey Washroom Collection 2019
Pilasters	Formica Washroom Collection 2019


Size Guide

Overall Height: Partition Height: Partition Depth: Pilaster Height: End/Wall Pilaster Width: Centre Pilaster Width: Door Width: Door Height:

1450mm (150mm from floor) 1150mm Made to depth required 1300mm 150mm Made to measure 1150mm







Decals (SGL & MFC)

A bright and colourful option to your washroom design. Available for doors, pilasters or vanity access panels.



Alternative Sticker Packs

A low-cost option to revive existing cubicles or as an addition to your new washroom. Providing an opportunity for children to learn whilst creating a fun and colourful environment.



Alphabet Pack (26no)

Numbers Pack (13no)



Shapes Pack (20no)

Specification

Doors:	(MFC) 18mm Moisture Resistant Melamine faced chip board with 2mm high impact ABS edging Face with Mactac matt soft calendared PVC film. UV overlam Protected.
	(SGL) 13mm Solid Grade Compact with routered edges and black core Face with Mactac matt soft calendared PVC film. UV overlam Protected.
Pilasters:	(MFC) 18mm Moisture Resistant Melamine faced chip board with 2mm high impact ABS edging Face with Mactac matt soft calendared PVC film. UV overlam Protected.
	(SGL) 13mm Solid Grade Compact with routered edges and black core Face with Mactac matt soft calendared PVC film. UV overlam Protected.

Adventura Overall Cubicle Height - 450mm including 150mm adjustable leg clearance Retrospect Overall Cubicle Height - 2100mm including 150mm adjustable leg clearance


Design Options

Doors / PilastersDinosaurs, Unicorns, Monsters, Backpacks, Fruits, Drawings, AnimalsStickers PacksAlphabet, Numbers, Shapes

Decal Size Guide

Door Height:	1800mm max height
Door Width:	700mm max width
Pilaster Height:	Standard range height
Pilaster Width:	300mm max width
Sticker Packs:	150mm x 150mm (Squares)

Decals are also available in different designs on request.



City (MFC)

A classic cubicle with a wide variety of colour options to suit everyone. Moisture and impact resistant 18mm panels create a sturdy cubicle design suitable for any dry environment. Contrasting Graphite edging on all panels.

MR Melamine Face Chipboard (MFC)

Heavy-duty Fittings (SAA)

Made-To-Measure

Dry Application



Hinge



Curved Headrail



Adjustable Leg




Indicator Lock


City (MFC)

Specification

Doors:	18mm	Moi	sture	resistant	Mela	amine
	faced	chip	board	d (MFC)	with	2mm
	high in	npact	ABS	edging		

- Partitions: 18mm Moisture resistant Melamine faced chip board (MFC) with 2mm high impact ABS edging
- Pilasters: 18mm Moisture resistant Melamine faced chip board (MFC) with 2mm high impact ABS edging
- Hardware: Satin Anodised Aluminium (SAA) fittings - Headrail, pilaster brackets, wall brackets, adjustable leg, Pilaster lock and hinges.
- Overall Cubicle Height 2000mm including 150mm adjustable leg clearance






Colour Options

Doors / Partitions /
PilastersPolyrey Washroom Collection 2019
Panoprey Melamine Faced Board

Edging: Graphite 2mm PVC

Size Guide

Overall Height: Partition Square Height: Partition Depth: Pilaster Height: End/Wall Pilaster Width: Centre Pilaster Width: Door Width: Door Height: 2000mm (150mm from floor) 1800mm Made to depth required 1850mm 115mm 230mm Made to measure 1800mm





Elemental (HPL/MFC)

A choice of natural wood finishes offered with SAA pilasters which create a beautifully balanced and aesthetic washroom suitable for any commercial environment.

Heavy-duty Fittings (SSS)

Natural Wood Finishes

Heavy Duty Aluminium Pilasters

Dry Application



Hinge




Headrail






Indicator Lock

Elemental (HPL/MFC)





Specification

Doors:	18mm moisture resistant high density particle board core faced with 0.8mm HPL or 18mm Moisture resistant Melamine faced chip board (MFC) with 2mm high impact ABS edging
Partitions:	18mm moisture resistant high density particle board core faced with 0.8mm HPL or 18mm Moisture resistant Melamine faced chip board (MFC) with 2mm high impact ABS edging
D'II (

Pilasters: Satin Anodized Aluminium

- Hardware: Satin Stainless Steel (SSS) fittings, wall brackets, adjustable leg, lock and hinges.
- Overall Cubicle Height 2171mm including 150mm adjustable leg clearance

Colour Options

Doors / Partitions / Polyrey Washroom Collection 2019 Formica Washroom Collection 2019

SAA

Pilasters:

Size Guide

Overall Height: Partition Height: Partition Depth: Pilaster Height: Door Width: Door Height: 2171mm (150mm from floor) 1995mm Made to depth required 2000mm Made to measure 1980mm



Evolve (SGL)

Designed specifically to be produced using compact laminate and bolt through fixing system, robust construction and quality at a competitive price. Hardwearing and water resistant materials.

Solid Grade Laminate (SGL)

Heavy-duty Fittings (SAA)

Made-To-Measure

Wet & Dry Application



Hinge



Curved Headrail



Adjustable Leg



Indicator Lock

Evolve (SGL)

Specification

Doors:	13mm Solid Grade Compact (SGL) with routered edges and black core	
Partitions:	13mm Solid Grade Compact (SGL) with routered edges and black core	
Pilasters:	13mm Solid Grade Compact (SGL) with routered edges and black core	
Hardware:	Satin Anodised Aluminium (SAA) fittings - Headrail, pilaster brackets, wall brackets, adjustable leg, Pilaster lock and hinges.	
Overall Cubicle Height - 1975mm including 150mm adjustable leg clearance		


Colour Options


Doors / Partitions /	Polyrey Washroom Collection 2019
Pilasters	Formica Washroom Collection 2019


Size Guide

Overall Height: Partition Square Height: Partition Depth: Pilaster Height: End/Wall Pilaster Width: Centre Pilaster Width: Door Width: Inward Door Height: Outward Door Height

1975mm (150mm from floor) 1806mm Made to depth required 1825mm 115mm 230mm Made to measure 1806mm 1775mm







Dynamic (SGL)

Designed to be produced using compact laminate and stainless steel hardware. Premier Plus brings a robust sleek design that sits perfectly in any sector.

Solid Grade Laminate (SGL)

Stainless Steel Fittings (SSS)

Made-To-Mesure

Wet & Dry Application









Adjustable Leg



Indicator Lock

Dynamic (SGL)

Specification

Doors:	13mm Solid Grade Compact (SGL) with routered edges and black core		
Partitions:	13mm Solid Grade Compact (SGL) with routered edges and black core		
Pilasters:	13mm Solid Grade Compact (SGL) with routered edges and black core		
Hardware:	Satin Stainless Steel (SSS) fittings - Headrail, pilaster brackets, wall brackets, adjustable leg, door lock and hinges.		
Overall Cychiele Lleight	1075 mm including 150 mm odiustable		

Overall Cubicle Height - 1975mm including 150mm adjustable leg clearance


Colour Options

Doors / Partitions /	Polyrey Washroom Collection 2019
Pilasters	Formica Washroom Collection 2019

Size Guide

Overall Height: Partition Square Height: Partition Depth: Pilaster Height: End/Wall Pilaster Width: Centre Pilaster Width: Door Width: Inward Door Height: Outward Door Height:

1975mm (150mm from floor) 1806mm Made to depth required 1825mm 115/123mm 230mm Made to measure 1806mm 1775mm




DOOR

APERTURE

230

115



DOOR

APERTURE

123



Dynamic Full Height (SGL)


Designed using compact laminate and bolt through fixings. Premier Full Height is a robust construction using quality materials. Hardwearing and water resistant provides a floor to ceiling cubicle for any environment.

Solid Grade Laminate (SGL)

Heavy-duty Fittings (SSS)

Made-To-Measure

Pre-drilled Panels



Hinge



Over panel



Leg





Indicator Lock

Dynamic Full Height (SGL)

Specification

Doors:	13mm Solid Grade Compact (SGL) with routered edges and black core			
Overpanel:	13mm Solid Grade Compact (SGL) with routered edges and black core			
Partitions:	13mm Solid Grade Compact (SGL) with routered edges and black core			
Pilasters:	13mm Solid Grade Compact (SGL) with routered edges and black core			
Hardware:	Satin Stainless Steel (SSS) fittings - Pilaster brackets, wall brackets, leg, lock and hinges.			
Overall Cubicle Height - Made to measure				






Colour Options


Doors / Partitions /
PilastersPolyrey Washroom Collection 2019
Formica Washroom Collection 2019

Size Guide

Max Overall Height: Max Partition Height: Partition Depth: Max Pilaster Height: End/Wall Pilaster Width: Centre Pilaster Width: Door Width: Inward Door Height: 2600mm (20mm from floor) 2560mm (20mm from ceiling) 1600mm max 2560mm 115/123mm 230mm Made to measure 1900mm

Max Floor to Ceiling Height - 2600mm





Director Full Height

Director Full Height is a HPL cubicle with post-formed pilasters that run floor to ceiling to a maximum height of 2.6m. Support legs offer 20mm clearance from the floor and over panels complete the best look for any washroom.

Post Formed Pilasters (HPL)

Heavy-duty Fittings (SSS)

Made-To-Measure

Dry Application



L

Hinge





Overpanel

Indicator Lock

Director Full Height

(HPL)

Specification

- Doors: 18mm moisture resistant high density particle board core faced with 0.8mm HPL
- 18mm moisture resistant high density Partitions: particle board core faced with 0.8mm HPL
- **Pilasters:** 18mm moisture resistant high density particle board core faced with 0.8mm HPL
- Satin Stainless Steel (SSS) fittings -Hardware: Pilaster brackets, wall brackets, leg, lock and hinges.
- Overall Cubicle Height 2800mm max including 20mm support leg


Colour Options


Doors / Partitions / Polyrey Washroom Collection 2019 Formica Washroom Collection 2019 **Pilasters**


Size Guide

Overall Height: Partition Square Height: Partition Depth: **Pilaster Height:** End/Wall Pilaster Width: Centre Pilaster Width: Door Width: Door Height:

2600mm max (20mm from floor) 2560mm max 1600mm max 2760mm max 115/123mm 230mm Made to measure 1900mm









Stature (HPL)

Flush fronted floor to ceiling washroom system, Stature doors and pilaster are formed from a high quality 38mm chipboard core and hardwood edge for a luxurious appearance. To complete the quality aesthetics, the aluminium extruded wall channels are colour coded to complement the pilaster and partition.

High Pressure Laminate (HPL)

Heavy-duty Fittings (SSS)

Made-To-Measure



Hinge



Outward Handle



Stainless Leg



Inward Handle


Stature (HPL)

Specification

Doors:	38mm moisture resistant chipboard core with HPL face
Partitions:	24mm moisture resistant chipboard core with HPL face
Pilasters:	38mm moisture resistant chipboard core with HPL face and light Oak hardwood edges as standard
Hardware:	Satin Stainless Steel (SSS) fittings - Leg, lock and hinges.

Overall Cubicle Height - Maximum height of 2.8m

20 DOOR TO CEILING HEIGHT 20 DOOR HEIGHT 5 OVERPANEL






Doors / Partitions / Pilasters

Polyrey Washroom Collection 2019 Formica Washroom Collection 2019

Size Guide

Overall Height: Partition Square Height: Partition Depth: Pilaster Height: End/Wall Pilaster Width: Centre Pilaster Width: Door Width: Door Height: Maximum height of 2.8m Maximum height of 2.8m Maximum height of 1.6m Maximum height of 2.8m Made to measure Made to measure Made to measure Maximum height of 2.8m





Trinity (10mm)

Glass cubicles create a stylish and contemporary look to any washroom. Hygienic, easy to clean and resistant to scratch, Trinity features polished flat edges manufactured from 10mm Toughened Eco Sat glass.

Satin Polished Glass (TBLR) (10mm)

Satin Stainless Hardware (SSS)

Made-To-Measure

Wet & Dry Application




Hinge



Clamp Headrail



Adjustable Leg



Indicator Lock



Vanity Units

A necessity in any washroom that often complements chosen cubicle finishes and creates a lasting statement. Cubicle Systems manufacture a wide range of vanity units, each made unique with various choices regarding basins, taps and finishes.





Vanity Units

Specification

Тор:	(HPL) 0.8mm High pressure Laminate with 18mm moisture resistant high density particle board core	
	(SGL) 13mm Solid Grade Compact with routered edges and black core	
	(Glass Effect) 0.8mm High pressure Gloss Laminate with 16mm moisture resistant high density particle board core with Rehau edging	
	(Solid Surface) 12mm Acrylic Solid Surface resin, non-porous, NSF-51 certified	
Frame:	(HPL) 0.8mm High pressure Laminate with 18mm moisture resistant high density particle board core	
	(SGL) 13mm Solid Grade Compact with routered edges and black core	
	(MFC) 18mm Moisture resistant Melamine face chip board with 2mm high impact ABS edging	
Access Panels:	(HPL) 0.8mm High pressure Laminate with 18mm moisture resistant high density particle board core. Radius post formed vertical profile with 2mm high impact ABS edging	
	(SGL) 13mm Solid Grade Compact with routered edges and black core	
	(MFC) 18mm Moisture resistant Melamine face chip board with 2mm high impact ABS edging	
Overall Deck Height -	Made to measure Standard Deck Height - 800mm	
Colour Options		
Top / Frame / Access Panels	Polyrey Washroom Collection 2019 Formica Washroom Collection 2019 Colours of Corian 2019	0 - STANDARD

Colours of Tri-Stone 2019














TOP MADE TO MEASURE

300











Solid Surface Wash Trough

A modern way to complement your washroom with our solid surface wash troughs. Cubicle Systems manufactures a wide range of bespoke wash troughs, each made unique with various choices regarding wastes, taps and finishes.

Standard Wash troughs



Flat Deck – Exposed Waste



Sloping Deck - Hidden Waste

Wash Trough Specification:

Flat Deck – Exposed Waste

12mm thick acrylic Wash troughs available in standard depth of 400mm (bespoke depth available upon request), includes 200mm deep down-stand with MDF substrate frame. Trough can be positioned onto Cubicle System's vanity under frame with access panels.

Suitable for deck or wall mounted taps or combination mirror units.

1no Exposed waste – deck either slopes left or right. Extra wastes available upon request

Available in one-piece sizes of 600mm, 1200mm, 1800mm, 2400mm or 3000mm. Bespoke sizes available upon request.

Sizes over 3000mm long will be manufactured as 2 units.

Extras: wastes, loose upstand, LED light strip

Standard Colour: Pure White Only

(More colour options available from Corian or Tristone upon request).

Sloping Deck – Hidden Waste

12mm thick acrylic Wash troughs available in standard depth of 550mm (bespoke depth available upon request), includes 150mm deep down-stand with MDF substrate frame. Trough to be positioned onto Cubicle System's vanity under frame with access panels

Suitable for deck or wall mounted taps or combination mirror units.

Hidden waste - deck slopped back

Coved or loose upstand available upon request.

Available in one-piece sizes of 600mm, 1200mm, 1800mm, 2400mm or 3000mm. Bespoke sizes available upon request.


Sizes over 3000mm long will be manufactured as 2 units.


Extras: wastes, loose upstand, LED light strip


Colour: Pure White Only


(More colour options available from Corian or Tristone upon request).


Images are for illustrative purposes only, designs will vary













IPS Pre-plumbed Wall Duct Access Panel System

A fully adjustable steel frame fitted with decorative removable or hinged panels available with a standard range of factory installed sanitaryware, pre-plumbed and tested all modules are supplied as a complete unit that requires only to be installed and connect to site water supply and services.

Solid Grade Laminate (SGL) High Pressure Laminate (HPL) Melamine Face Chipboard (MFC) M2 – Wall Hung WC M3 – Urinal Exposed Trap M1 - Back to Wall WC Glass (GLA) Full Height or Half Height Made-To-Measure Wet & Dry Application

M6 - Urinal - Concealed Trap



M4 – Basin Exposed Trap



M5 - Basin Concealed Trap



Benching

Cubicle Systems benches have been designed to provide long lasting strength, safety and flexibility.

They feature Solid Grade Laminate slats available in a wide variety of colours or Ash Hardwood slats, each with complementary framework in a Light Grey or Black powder coated finish.

Ideal for any washroom or cubicle system in both wet and dry environments.

Solid Grade Laminate Slats (SGL)

Made-To-Measure

Wet & Dry Application









Benching

Specification

Frame:

Slats:

40 x 40 x 2.0mm Box section mild steel. Zinc plated. Powder coated

13mm Solid Grade Compact (SGL) with routered edges and black core

Polyrey Washroom Collection 2019

Formica Washroom Collection 2019

Ash Hardwood Slats – 75mm Wide, 25mm Thickness





Single Island

Colour Options

Slats:

Frame:

Or Ash Hardwood Slats RAL 9006 Light Grey RAL 9005 Black

Bench frames are available in other RAL colours upon request





Cantilever

Wall Mount








Adjustable Feet & Secure Fixings



Single



Size Guide

Single Island Height: Double Island Height: Locker Height: Single Height: Wall Mount Height: Cantilever Height: 1700mm 1700mm 1850mm 450mm 450mm 450mm (Recommended)



Lockers

Cubicle Systems lockers have been designed to complement any washroom and are robust and hardwearing.

Lockers feature Solid Grade Laminate doors and shelves available in a wide variety of colours each with complementary framework in aluminium.

Ideal for any washroom or cubicle system in both wet and dry environments.

Solid Grade Laminate Doors (SGL)

300mm or 400mm wide

Wet & Dry Application




Lock



Fixings



Hinge



Shelves

Lockers

Specification

Frame:	Aluminium
Optional Plinth:	Aluminium box section
Doors:	13mm Solid Grade Compact (SGL) with routered edges and black core
Shelves:	13mm Solid Grade Compact (SGL) with routered front edge and black core
Colour Options	
Doors & Shelves:	Polyrey Washroom Collection 2019 Formica Washroom Collection 2019
Frame:	Light Grey Aluminium

Size Guide

Locker Height: Locker Depth: Locker Width: Z-Locker Width: Optional Mounting Plinth: 1800mm 450mm 300mm & 400mm 400mm 150mm

Lock Options



Standard Cam Lock



Coin Return Lock





Padlockable Cam Lock




Electronic combination lock

Mechanical combination lock









Colour Chart 2025

CWP Colours

Genêt G031	Vinyle V014	Capucine C062	Rouge Cerise R036	Rouge Amarante* R057	
Zeste de Citron* Z016	Pomme Verte P092	Cactus C049	Vert Bali V109	Vert Impérial V110	
Bleu Flash B001	Mousse M047	Nova Mousse N028	Bleu Turquoise* B119	Bleu Buée* B194	
Bleu Caraïbes B086	Nova Saphir N023	Chardon* C018	Cyclamen C189	Bleu Oslo B048	
Gris Tourterelle G029	Zeste Coco* Z022	Blanc Megève B070	Blanc Menuires B015	Orgeat 0111	
Gris Perle G003	Gris Cendré G075	Gris Orage G059	Caviar C011	Noir N005	
Rose In R05)17 B1	L16 PC	de Lune 001	
		*Not available	e for our Executive	& MFC ranges.	

CWP Colours



Chêne Colorado C149



Noisetier Naturel N056



Chêne Clair C102



Chêne Alba C180



Érable Féroé E104



Noyer Havana N115



Noyer Ombré N026



Chêne Brun C101



Banian Blanchi B100



Chêne d'Argent C183



Banian Noirci B101



Teck Carbone T105



Marbre Taisa* M124



Travertin Naturel* T108



Marbre Siroco M134



Maryland Clair M001



Maryland Foncé M003

CWF Colours

			••••	
Spicy Red	Carrot	Sunny Orange	Bright Yellow	Light Lime
CW324	CW370	CW366	CW365	CW354
Bush Green	Olive Green	Coastal Green	Sea Blue	Crystal
CW378	CW367	CW368	CW360	CW361
Soft Indigo	Electric Blue	Peacock Blue	Classic Teal	Midnight Teal
CW359	CW353	CW371	CW377	CW356
Deep Plum	Aubergine	Soft Pink	White	Off-White
CW364	CW348	CW376	CW352	CW369
Light Silver	Stone Grey	Midnight Grey	Pure Black	Metallic Finish
CW369	CW350	CW349	CW337	CW319
Light Textile	Grey Textile	Grey Oak	Aged Oak	Dark Oak
CW363	CW362	CW372	CW358	CW374
Rough W CW37		: Walnut Perfec /355 CW		ght Oak CW375

Standard Solid Surface



Other colour options are available upon request but will incur an additional cost.

Our other solid surface colour options include Hanex, Staron, HIMACS, Corian & Tristone.





41-51 Freshwater Road, Chadwell Heath Romford, Essex RM8 1SP Tel: 020 8586 4600